


# Water Chemistry

Be sure to attend lab THIS week

- Bring the lab manual
- Must pass lab to pass this class
- Instructors will give percent lab grade to one another

## Solid, Liquid, Gas



## Three Phases of Water at Earth's Surface

- Liquid
- Solid
- Vapor


Energy captured or released upon change from one phase to another

## Solid Ice




$H_2O(s)$  Ice

## Molecular Structure of Ice



## Liquid Water



$H_2O(l)$  Water


## Gas Steam



$H_2O(g)$  Steam

## Water Molecule

- Bent molecule
- Covalent bonds
- Polar
- Dissolves ionic substances




Copyright © 2004 Pearson Prentice Hall, Inc.

## Properties of Water


- Solid water floats on liquid water
- High surface tension
- 'Universal' solvent
- High specific heat
- High heat of vaporization

- In liquid phase, the water molecules fit closely together
- Polar nature allows them to attract one another




<http://www.chemfin.net/news/2007/mar/2007/water.htm>

## High Surface Tension




Molecules inside a water drop are attracted in all directions. Drops on the surface are attracted to the sides and inward.



## Water Molecule


- Bent
- Polar



(a)



(b)



(c)

Copyright © 2004 Pearson Prentice Hall, Inc.

## Water Expansion

### Water in the Liquid State



### Water molecules in the ice structure




C. Ophardt, © 2008


<http://www.edmhurst.edu/~chem/chembook/122densities/ice.html>

## Water Expansion


- Molecule shape fit together closer in liquid
- Open structured crystal due to hydrogen bonding of polar molecules upon freezing



Liquid water (dense)



Ice (less dense)





<http://www.it3.catech.edu/~atomic/crystall/primer/primer.htm>

- In solid phase of water, arrangement becomes more open, less dense
- Ice floats because of this
- Expansion of 9% upon freezing



Three phases of water






<http://www.cdk.ca/CITE/glaciers.htm>




### Evaporation

- Kinetic energy of molecules great enough to escape surface
- Energy is taken from liquid—cools it
- Gaseous phase or vapor phase

Liquid water                  Water vapor





### Boiling at less than 100 ° C

- Pour in hot water
- Reduce Pressure with syringe

<http://www.microcol.de/air2.html>

### Evaporation or Not

- Air inside glass become saturated with water and no more water can evaporate from the surface
- Outside glass is open system that is not saturated

<http://www.geology.sdsu.edu/classes/geol35101/watercycle/watercyclefigs.htm>

### Condensation

- Opposite of evaporation
- Kinetic energy of molecules running into surface of liquid and joining it
- Heats environment

### Condensation on Glass


<http://www.geology.sdsu.edu/classes/geol35101/watercycle/watercyclefigs.htm>


### Atmosphere

- Evaporation
  - Energy goes into air
  - Cools remaining water
- Condensation
  - Energy goes from air to surface
  - Warms local environment

### Atmosphere

- Warm air has greater capacity for holding water in the vapor phase
- Saturation = at capacity
- Relative Humidity—percent of water contained compared to saturated amount at that temperature





### Energy of Water Phase Change

- Calorie:  
energy to change 1 g water 1 K or 1 °C
- Also need energy to change to different state of matter
- Energy of vaporization/condensation  
➢ 540 calories per gram of water = 2256 J/g
- Energy of melting/freezing  
➢ 80 calories per gram = 334 J/g

### Temperature

- Measure of hotness
- Celsius
  - 0° freezing point of pure water at standard pressure
  - 100° boiling point at standard pressure
- Fahrenheit
  - 0° was lowest attained
  - 32 was his age when he performed experiments
  - 212 is boiling point in those increments

### Temperature

- Convert with equations
  - Order of operations
    - Parentheses first
    - Then multiply or divide
    - Add or subtract last
- Or use adjacent scales such as p. 142 of *Conceptual Physical Science* textbook

$$C = \frac{5}{9}(F - 32)$$

$$F = \frac{9}{5}C + 32$$

### Temperature

- Kelvin same size as degree Celsius
- 'Absolute Zero' is 0 K
  - (notice no degree symbol on K)
- 0° C = 273 K
- Molecular motion ceases at absolute zero

### Be sure to attend lab this week

- Bring the lab manual
- Must pass lab to pass this class
- Instructors will give percent lab grade to one another