

Chapter 8: Factoring Polynomials

SECTION 8.4: SUMS AND DIFFERENCES OF CUBES

Perfect Cubes

- Have a factor that can be used three times to result in value of expression
- x^3
- $8y^3$
- $125w^3$

Difference of Cubes

- x^3-64
- Cube root of each term in binomial
- Use subtraction operation
- $(x-4)$
- Multiply by
 - trinomial that starts with square of first term in binomial
 - Add product of binomial terms
 - Add square of second term in binomial
- $(x-4)(x^2+4x+16)$

Sum of Cubes

- $64x^3+27$
- Cube root of each term in binomial
- Use addition operation
- $(4x+3)$
- Multiply by
 - trinomial that starts with square of first term in binomial
 - subtract product of binomial terms
 - Add square of second term in binomial
- $(4x+3)(16x^2-12x+9)$

Note:!

- You cannot factor sum of squares!
- Can factor difference of squares
 - $x^2-C^2=(x-C)(x+C)$
- Can factor difference of cubes
 - $x^3-C^3=(x-C)(x^2+Cx+C^2)$
- Can factor sum of cubes
 - $x^3+C^3=(x+C)(x^2-Cx+C^2)$
- Note single subtraction sign and that the binomial 'matches' the original cubic expression

Difference of Cubes in higher orders: x^6-y^6

- Each term in binomial is perfect square
 - $x^6=(x^3)^2$, right?
- So binomial is difference of two squares!!
 - $(x^3)^2-(y^3)^2=(x^3-y^3)(x^3+y^3)$
- The follow factoring cube rules to get
 - $(x-y)(x^2+xy+y^2)(x+y)(x^2-xy+y^2)$

Sum of Cubes in higher order

- $x^6 + y^6 = (x^2)^3 + (y^2)^3$
- $= (x^2)^3 + (y^2)^3 = (x^2 + y^2)(x^4 - x^2y^2 + y^4)$
- These factors are prime
 - Cannot factor sum of squares!!

Remember to factor out GFC!!

- $50x^2y^2 - 8y^4 =$
- $2y^2(25x^2 - 4y^2)$
- Notice second factor is difference of two squares
- $= 2y^2(5x - 2y)(5x + 2y)$

Suggestions for success

- Look for GFC
- Notice if there is a difference of two squares: follow method
- Notice if there is a sum or difference of two cubes: follow method
- Try factor by grouping
- Use trial and error if patterns aren't present
- Always factor COMPLETELY!!